



WUXI XINDAZHONG STEEL SHEET CO.,LTD

83# Changyu road, Yuqi town, Wuxi city, Jiangsu Province, China
Tel/Fax:0086-510-83335089

Recommendation Letter

We have pleasure introducing ourselves as a reputed manufacturer specialized in Steel coils & sheets including GI,EG,PPGI,ETP,TFS etc. since 1989. We are keen to establish long term business cooperation with you and your company.

Wuxi xindazhong steel sheet co.,ltd,as a sino-hongkong joint venture,our company has registered capital of 21,000,000 US Dollar,total investment of 39,000,000 US Dollar and total assets of RMB 1.28 billion, covered a vast area of 150,000 square meters and business building area of 100,000 square meters.

As a well-known enterprise,our company is mainly engaged in producing and selling Steel coils & Steel Sheets,with annual capacity of 400,000 tons cold rolled coils,120,000 tons hot dip galvanized steel coils,180,000 tons color coated steel coils, 200000 tons electro galvanized coils with anti-fingerprint or oiled finish,16,0000 tons electrolytic tinplate and tin free steel sheets,100,000 tons flock coating and overlay film steel plates.

Sincerely hope we have the opportunity to cooperation.

If you are interest in any items,feel free to send me the details.

Contact person:Robin Pei

WUXI XINDAZHONG STEEL SHEET CO.,LTD

Add.:83# Changyu Road,Yuqi Town,Wuxi City,

Jiangsu Province,China

Tel/Fax:0086-510-8333 5089 ,Cell:0086-15906198669

MSN:robinpay@hotmail.com ,E-mail:pzshine@yahoo.com

<http://www.wx-xdz.com> ,<http://www.xdz.en.alibaba.com>

Main products:

GI/Hot Dip Galvanized Steel Coil

- 1.Operate Standard:ASTM A653M-04/JIS G3302/DIN EN10143/GBT 2518-2008
- 2.Grade:SGCC(DX51D-Z)
- 3.Base material:SPCC,SPCD.SPCE
- 4.HDGI Zinc Coating:60-150g/sqm
- 5.Thickness:0.25-1.2mm
- 6.Width:900-1250mm(common:1000mm)
- 7.Coil Weight:3-10MT
- 9.Surface Treatment:Passivation,regular spangle,big spangle
- 10.Production Ability:120000MT/Year
- 11.Application:widely used in base plate of coated coil,corrugated roofs,outdoor wall panel,transpotion and other industrial buildings.



1400mm galvanizing machine group produces 120 thousand tons of hot dip galvanized steel coil with thickness of 0.2-1.5mm and width of 900-1250mm.The alloy hot galvanizing products of superior coating and adhesion performances.



WUXI XINDAZHONG STEEL SHEET CO.,LTD

83# Changyu road, Yuqi town, Wuxi city, Jiangsu Province, China
Tel/Fax:0086-510-83335089

EG/Electro Galvanized Steel Coil

1. Operate Standard: ASTM A591M/JIS G3313-2005/GBT2520
2. Grade: SECC-N, SECC-O, SECC-P
3. Base material: SPCC, SPCD, SPCE
4. Zinc plating 20-20g/sqm.
5. Thickness: 0.3-1.2mm
6. Width: 1000mm
7. Coil Weight: 3-10MT
8. ID: 508mm
9. Surface Treatment: Anti-Finger Printed, Oiled, Phosphated
10. Production Ability: 200000MT/Year

The 1400mm galvanizing unit which is put into operation by company has yearly capacity of 200 thousand tons of electrolytic galvanized steel coils (EG), surface treatment with anti-fingerprint, oiled, phosphating, thickness range from 0.2 to 1.5mm and width of 900-1250mm. Widely used in computer cases, liquid crystal televisions, microwave ovens, electronic apparatus, industrial freezers in residential and industrial buildings.

PPGI /Pre-painted Galvanized Steel Coil/Color Coated Steel Coil

1. Operate Standard: ASTM A653M-04/JIS G3302/DIN EN10327-04/GBT 2518
2. Grade: SGCC (DX51D-Z), SPCC, SPCD, SPCE
3. Thickness: 0.3-0.9mm
4. Width: 900-1250mm (common: 1000mm)
5. ID: 508mm, 610mm
6. Color: all RAL (common: sea blue, white grey and bright red)
7. Paint material: Normal polyester (PE, Epoxy)
8. Thickness of top coating: 20-25um, Thickness of back coating: 7-10um
9. Coil Weight: 3-10MT
10. Package Method: Vertical/Horizontal, full wrapped with anti-moist paper inside, iron sheet wrapped outside, and bundled by iron strips
11. Production Ability: 180000MT/Year

Features:

- 1). Uses hot dip galvanized metal strip as the base material
- 2). Zinc layer protection, dope on the zinc layer can cover and protect metal strip from rust
- 3). Color coated sheet is light, beautiful and has good anti-erosion performance
- 4). Can be further processed directly, corrugated or formed etc.
- 5). Life span of PPGI is usually 1.5 times longer than that of galvanized steel coil
- 6). They are mainly applied for construction, decoration, roofing, tile, wall panel, furniture, transportation and other industries
- 7). Common specifications: within 0.27 - 0.7 x 1,000 x C



WUXI XINDAZHONG STEEL SHEET CO.,LTD

83# Changyu road, Yuqi town, Wuxi city, Jiangsu Province, China

Tel/Fax:0086-510-83335089

8). Random coating colors according to customers' requirements, common colors are sea blue, white grey and bright red. Prepainted coil is painted twice on the upper surface of hot galvanized metal strip side of the base material

9). As a rich experience manufacturer, we provide quality product, competitive price and reliable after-sales service

Electrolytic Tinplate Steel/ETL

Operated standard: GB2520, JIS G3303 and DIN EN10203-91

Thickness: 0.18-0.55mm

Width: 480-1050mm

Base plate: SPCC, MR, IF

Tin plating weight: 1.1-8.4g/sqm

Annealing types: BA/CA

Surface finish: Bright, Matt, Stone

Hardness: T2-T4



Packing: plastic film, anti-rust paper, corner-protected

ETP Production Ability: 160000MT/Year

Wuxi Xindazhong Steel Sheet Co., Ltd has annual production 160000 metric tons, owned 3 sets of 750, 1050, 1250mm electrolytic tinning units and 5 sets of cutting lines

The electrolytic tinplate steel (ETL) can be used for tea cans, paint cans, daily chemical packaging cans, foods packaging cans, batteries, light industries etc.

Tin Free Steel/TFS

Operated standard: JIS G 3315

Thickness: 0.18-0.5mm

Width: 480-1050mm

Base plate: SPCC, MR, IF

Annealing types: BA/CA

Surface finish: matt

Chrome plating weight: $\geq 80g/80g/sqm$

Hardness: T2-T4

Packing: plastic film, anti-rust paper, corner-protected

TFS Annual production: 160000MT/Year

Wuxi Xindazhong Steel Sheet Co., Ltd has annual production 160000 metric tons, owned 3 sets of 750, 1050, 1250mm electrolytic tinning units and 5 sets of cutting lines

The tin free plate (TFS) can be used for various crown cans, easy-open cans, lug type caps, bottom covers of various packaging cans etc.

We can also produce according to the requirement of user!!

Any items you interested in, feel free to contact with me!